

PLACE YOUR ORDER TODAY!

ONLINE www.bellevilleboot.com

PHONE 800-376-6978

Mon-Fri: 0700 to 1700 CST

EMAIL Domestic: boots@bellevilleboot.com

International: intl@bellevilleboot.com

BELLEVILLE ACCEPTS:

GSA SmartPay, Visa, MasterCard, American Express









BELLEVILLE B2B

BellevilleB2B.com is a convenient business to business site exclusively for qualified Belleville dealers offering:

- ► Easy order placement
- ► Real-time inventory accessibility
- Convenient order tracking
- ▶ and more!

Call Customer Service at 800-376-6978 to inquire about obtaining a username & password.

STAY CONNECTED!

No matter where your Bellevilles take you, staying connected with our global community is easy. Join us on Facebook, Instagram, YouTube and BellevilleBoot.com to stay current on industry news, read what others are saying about our boots, or submit a comment or question of your own. Connect, interact and communicate; as there is always something happening at Belleville.



facebook.com/belleville.boot facebook.com/bellevillepublicsafety



instagram.com/bellevillepublicsafety



youtube.com/bellevilleboot




TABLE OF CONTENTS

NEW FOR 2022	2-3
COYOTE	4-19
AVIATOR BROW	/N 19-20
BLACK	20-31
APPROVED FLIGHT B	OOTS 32
CERTIFICATIONS, AF AND TECHNOLOGY	PROVALS33
BOOT CARE & SIZING	STIPS 34
PLACE AN ORDER/ RETURN & EXCHANG	E INFO 35
INDEX	36-37





* ARM YOUR FEET**

NEW FOR 2022



ONE XERO™ FC320
FEMALE ULTRALIGHT
ASSAULT BOOT
PAGE 4



ARMR LTE C290
ULTRALIGHT COMBAT
& TRAINING BOOT
PAGE 5



510 MEF
ULTRALIGHT MARINE CORPS
COMBAT BOOT
PAGE 16



SPEAR POINT BV518 LIGHTWEIGHT HOT WEATHER TACTICAL BOOT PAGE 8



KHYBER TR550WPINS WATERPROOF INSULATED MULTI-TERRAIN BOOT PAGE 15



SQUALL BV555INSCT 400g INSULATED COMPOSITE TOE BOOT PAGE 15



339 ST
US NAVY AVIATOR BOOT
PAGE 20



495 ST / F495 STUS NAVY "I-5" STEEL TOE BOOT PAGE 20



CANOPY BV903PR
JUNGLE BOOT
PAGE 24



SPEAR POINT BV915Z HOT WEATHER LIGHTWEIGHT SIDE-ZIP TACTICAL BOOT PAGE 24



BV918Z
HOT WEATHER LIGHTWEIGHT
SIDE-ZIP TACTICAL BOOT
PAGE 25



SPEAR POINT BV918Z WP LIGHTWEIGHT SIDE-ZIP WATERPROOF TACTICAL BOOT PAGE 25





ONE XERO** C320/ ULTRALIGHT ASSAULT BOOT



8" (Standard Military Height)

100% cattlehide leather & nylon fabric MIDSOLE: Highly cushioned, shock absorbent midsole **OUTSOLE:** 100% rubber Exclusive VIBRAM® Incisor Single density molded removable insert

SPECIAL FEATURES:

- ► Medial & lateral dual ventilation zones
- ► Athletic strobel-stitch construction
- ▶ Weighs approximately 20 ounces per half pair
- ► Berry Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 4 - 14, R & W Half Sizes: 4.5 - 13.5, R & W

ONE XEROT FC320 FEMALE ULTRALIGHT ASSAULT BOOT



8" (Standard Military Height)

100% cattlehide leather & nylon fabric MIDSOLE: Highly cushioned, shock absorbent midsole **DUTSOLE:** 100% rubber Exclusive VIBRAM® Incisor Single density molded removable insert

SPECIAL FEATURES:

- ► Medial & lateral dual ventilation zones
- ► Athletic strobel-stitch construction
- ► Weighs approximately 20 ounces per half pair
- ► Berry Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

WOMEN'S Full Sizes: 4 - 10, R & W Half Sizes: 4.5 - 9.5. R & W

SABRE C333 / HOT WEATHER HYBRID ASSAULT BOOT



HEIGHT: 8" (Standard Military Height)

UPPER: 100% cattlehide leather & nylon fabric
MIDSOLE: Highly cushioned, shock absorbent midsole
OUTSOLE: 100% rubber Exclusive VIBRAM® lbex outsole

for rugged terrain

Dual density molded Shockmaster™ removable insert

SPECIAL FEATURES:

- ► Low profile sole reduces weight & improves mobility
- ▶ Sharp angled lugs and defined heel maximize traction
- ► Deeply serrated toe bumper aids in vertical climbing & crawling
- ▶ Rappelling bars on outsole extend wear
- ▶ Aggressive lace-to-toe style allows for a customized fit
- ▶ Breathable moisture-wicking lining
- ► Berry Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 4 – 14, R & W Half Sizes: 4.5 – 13.5, R & W

ARMR LTE C290 / ULTRALIGHT COMBAT & TRAINING BOOT



UPPER: 100% cattlehide leather & nylon fabric
MIDSOLE: Highly cushioned, shock absorbent midsole

8" (Standard Military Height)

OUTSOLE: 100% rubber VIBRAM® outsole
INSOLE: Single density molded removable insert

SPECIAL FEATURES:

- ► Strobel construction for excellent flexibility
- ► Cool-mesh hydrophilic lining
- ▶ Low density PU midsole to minimize weight
- ▶ Weighs approximately 20.6 ounces per half pair
- ► Berry Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 4 - 14, R & W Half Sizes: 4.5 - 13.5, R & W

ARMR UP AT LTE SPEED

C390 / HOT WEATHER COMBAT BOOT



HEIGHT: 8" (Standard Military Height)

UPPER: 100% cattlehide leather & nylon fabric
MIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber VIBRAM® Sierra

INSOLE: Single density molded removable insert

SPECIAL FEATURES:

- ► VANGUARD running shoe sole construction
- ► Berry Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 2 - 16, N, R, W & XW

Half Sizes: 2.5 - 15.5, N, R, W & XW

AMRAP® TR501

ATHLETIC TRAINING BOOT



EIGHT: 8" (Standard Military Height)
PPER: 100% cattlehide leather & nylon fabric

MIDSOLE: Expanded TPU

OUTSOLE: 100% rubber "PT" outsole **INSOLE:** Removable molded-EVA

SPECIAL FEATURES:


- ▶ 8 millimeter heel to toe "drop"
- ▶ High resiliency and rebound E-TPU midsole
- ► Moisture wicking lining
- ► Athletic strobel construction
- ► Flat "ribbon" laces
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 4 – 15, R & W

Half Sizes: 4.5 - 11.5, R & W



Scan this code to learn more about the AMRAP® TR501



MINI-MIL® TR105 / MINIMALIST BOOT



HEIGHT: 8" (Standard Military Height)

UPPER: 100% cattlehide leather & nylon fabric MIDSOLE: 2 millimeter, die-cut shock dispersing midsole

DUTSOLE: 100% rubber Exclusive VIBRAM® Tarsus is oil & slip resistant

INSOLE: Single density molded removable insert

SPECIAL FEATURES:

- ▶ 2 millimeter heel to toe "drop"
- ► Highly breathable unlined upper
- ▶ Double & triple stitched seams for enhanced durability
- ► Convenient pull-on loop
- ▶ Weighs approximately 16 ounces per half pair
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 4 - 14, R & W Half Sizes: 4.5 - 11.5, R & W

> Specifically for the warrior athlete interested in evolving toward a more natural movement.

SPEAR POINT BV518 / LIGHTWEIGHT HOT WEATHER TACTICAL BOOT





HEIGHT: 8" (Standard Military Height) 100% cattlehide leather & nylon fabric

MIDSOLE: Highly cushioned, lightweight EVA midsole for superior comfort OUTSOLE: Zone traction rubber outsole for enhanced slip and oil resistance

Single density molded removable insert

SPECIAL FEATURES:

- ► TAA Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 4 - 15, R & W Half Sizes: 4.5 - 11.5. R & W



KHYBER TR550 / HOT WEATHER MULTI-TERRAIN BOOT



HEIGHT: 8" (Standard Military Height)

UPPER: 100% cattlehide leather & nylon fabric MIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber Exclusive VIBRAM® Ibex outsole for rugged terrain

INSOLE: TR-1° load bearing orthotic insole

SPECIAL FEATURES:

- ▶ Low profile sole reduces weight & improves mobility
- ► Sharp angled lugs and defined heel maximize traction
- ▶ Deeply serrated toe bumper aids in vertical climbing & crawling
- ▶ Rappelling bars on outsole extend wear
- ▶ Aggressive lace-to-toe style allows for a customized fit
- ▶ Breathable moisture-wicking lining
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 4-16, R & W Half Sizes: 4.5 - 11.5, R & W







C312 ST/ hot weather tactical steel toe boot



8" (Standard Military Height) HEIGHT:

UPPER: 100% cattlehide leather & nylon fabric MIDSOLE: Highly cushioned, shock absorbent midsole **OUTSOLE:** 100% rubber Exclusive VIBRAM® Incisor INSOLE: Single density molded removable insert

SPECIAL FEATURES:

- ▶ Steel toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- ▶ Padded collar and tongue for added comfort
- ► Berry Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 4 - 14, R & W Half Sizes: 4.5 - 13.5, R & W







$C300\,ST$ / hot weather steel toe boot



HEIGHT: 8" (Standard Military Height)

UPPER: 100% cattlehide leather & nylon fabric MIDSOLE: Highly cushioned, shock absorbent midsole **OUTSOLE:** 100% rubber VIBRAM® Sierra

INSOLE: Single density molded removable insert

SPECIAL FEATURES:

- ▶ VANGUARD running shoe sole construction
- ▶ Steel toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- ► Berry Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 3 - 16, R, W

Half Sizes: 3.5 - 15.5, R, W





GUARDIAN TR536 CT / HOT WEATHER LIGHTWEIGHT COMPOSITE TOE BOOT



HEIGHT: 8" (Standard Military Height)

UPPER: 100% cattlehide leather & nylon fabricMIDSOLE: Highly cushioned, shock absorbent midsole

DUTSOLE: 100% rubber, long-wearing outsole is oil & slip resistant

TR-1° load bearing orthotic insole

SPECIAL FEATURES:

- Spacious, non-metallic composite toe is lighter weight than traditional steel toe and does not conduct heat or cold
- Composite toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- ▶ Breathable, moisture-wicking lining
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 4 – 14, R & W Half Sizes: 4.5 – 11.5. R & W





FLYWEIGHT TR596Z CT / HOT WEATHER LIGHTWEIGHT SIDE-ZIP COMPOSITE TOE BOOT



TR ADRENALINE





HEIGHT: 8" (Standard Military Height)
UPPER: 100% cattlehide leather & nylon fabric
MIDSOLE: Highly cushioned, shock absorbent midsole
OUTSOLE: 100% rubber TR Adrenaline is oil & slip resistant
INSOLE: Single density molded removable insert

SPECIAL FEATURES:

- ► Spacious, non-metallic composite toe is lighter weight than traditional steel toe and does not conduct heat or cold
- Composite toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- YKK vislon zipper
- ► Highly breathable unlined upper
- ▶ Double & triple stitched seams for enhanced durability
- ▶ 3 layers of cushioning comfort for superior shock absorption
- ▶ Weighs approximately 22 ounces per half pair
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 4 – 14, R & W Half Sizes: 4.5 – 11.5, R & W

WATERPROOF ASSAULT FLIGHT BOOT



HEIGHT: 8" (Standard Military Height)

UPPER: 100% cattlehide leather & nylon fabric MIDSOLE: Highly cushioned, shock absorbent midsole **OUTSOLE:** 100% rubber Exclusive VIBRAM® Ibex outsole for

rugged terrain

INSOLE: Dual density molded Shockmaster™ removable insert

SPECIAL FEATURES:

- ► Durably waterproof and highly breathable GORE-TEX fabric
- ► Low profile sole reduces weight & improves mobility
- ► Sharp angled lugs and defined heel maximize traction
- ▶ Deeply serrated toe bumper aids in vertical climbing & crawling
- ► Rappelling bars on outsole extend wear
- ► Aggressive lace-to-toe style allows for a customized fit
- ► Berry Compliant
- AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 4 - 14, R & W Half Sizes: 4.5 - 13.5, R & W

WATERPROOF FLIGHT & COMBAT BOOT

HEIGHT:

UPPER:

INSOLE:



8" (Standard Military Height) 100% cattlehide leather & nylon fabric MIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber VIBRAM® Sierra

Single density molded removable insert

SPECIAL FEATURES:

- ► VANGUARD running shoe sole construction
- ► Durably waterproof and highly breathable GORE-TEX fabric
- ► Berry Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 3 - 16, N, R, W & XW Half Sizes: 3.5 - 15.5, N, R, W & XW







$c790\,st/_{\tiny \text{Flight \& combat Boot}}$



HEIGHT: 8" (Standard Military Height) **UPPER:**

INSOLE:

100% cattlehide leather & nylon fabric MIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber VIBRAM® Sierra

Single density molded removable insert

SPECIAL FEATURES:

- ▶ Steel toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- ► VANGUARD running shoe sole construction
- ▶ Durably waterproof and highly breathable GORE-TEX fabric
- ► Berry Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 3 - 16, R & W Half Sizes: 3.5 - 15.5, R & W









${\color{red}\mathsf{C795}}\ /\ {\color{gray}\mathsf{200G}}\ {\color{gray}\mathsf{INSULATED}}\ {\color{gray}\mathsf{waterProof}}\ {\color{gray}\mathsf{combat}}\ {\color{gray}\mathsf{boot}}$



100% cattlehide leather & nylon fabric

8" (Standard Military Height)

MIDSOLE: Highly cushioned, shock-absorbent midsole OUTSOLE: 100% rubber VIBRAM® 360° FIRE & ICE™

compound designed to improve traction in icy conditions

INSOLE: Polyurethane removable insert

SPECIAL FEATURES:

- ► VANGUARD running shoe sole construction
- ► Durably waterproof and highly breathable GORE-TEX fabric
- ▶ 200g THINSULATE™ insulation
- ► Berry Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 3 - 16, R & W Half Sizes: 3.5 - 15.5, R & W









C775 / 6009 Insulated waterproof boot



HT: 8" (Standard Military Height)
R: All 100% cattlehide leather

MIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber VIBRAM® 360° FIRE & ICE™compound designed to improve traction in icy conditions

Single density molded removable insert

SPECIAL FEATURES:

- ▶ 600g THINSULATE™ Insulation
- ▶ Durably waterproof and highly breathable GORE-TEX fabric
- ► VANGUARD running shoe sole construction
- ► Berry Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 3 – 15, R & W Half Sizes: 3.5 – 14.5. R & W









$\text{C775 ST} / \text{\tiny 600g INSULATED WATERPROOF}$

Thinsulate



T: 8" (Standard Military Height)
R: All 100% cattlehide leather
Highly cushinged, shock abo

MIDSOLE: Highly cushioned, shock absorbent midsole
OUTSOLE: 100% rubber VIBRAM® 360° FIRE & ICE™compound designed

to improve traction in icy conditions Single density molded removable insert

SPECIAL FEATURES:

- Steel toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- ► 600q THINSULATE™ Insulation
- ▶ Durably waterproof and highly breathable GORE-TEX fabric
- ► VANGUARD running shoe sole construction
- ► Berry Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 3 – 15, R & W Half Sizes: 3.5 – 14.5, R & W

KHYBER TR550WPINS / INSULATED WATERPROOF MULTI-TERRAIN BOOT



8" (Standard Military Height)

100% cattlehide leather & nylon fabric MIDSOLE: Highly cushioned, shock absorbent midsole

DUTSOLE: 100% rubber Exclusive VIBRAM® Ibex outsole for rugged terrain

TR-1® load bearing orthotic insole

SPECIAL FEATURES:

- ► Waterproof & bloodborne pathogen proof membrane
- ▶ 400a THINSULATE™ Insulation
- Low profile sole reduces weight & improves mobility
- ► Sharp angled lugs and defined heel maximize traction
- ▶ Deeply serrated toe bumper aids in vertical climbing & crawling
- ► Rappelling bars on outsole extend wear
- ► Aggressive lace-to-toe style allows for a customized fit
- ► AR 670-1 Compliant

► AFI 36-2903 Compliant

MEN'S Full Sizes: 5 - 15, R & W Half Sizes: 5.5 - 11.5, R & W







SQUALL BV555INSCT / 400G INSULATED WATERPROOF COMPOSITE TOE BOOT





8" (Standard Military Height)

100% waterproof cattlehide leather & nylon fabric

DUTSOLE: 100% rubber VIBRAM® Arctic Grip specifically engineered and designed to perform on wet ice and improve grip on cold, icy

or snowy surfaces

Thick, single density molded removable insert

SPECIAL FEATURES:

- ▶ Spacious, non-metallic composite toe is lighter weight than traditional steel toe and does not conduct heat or cold
- ► Composite toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- ▶ 400g Cosmo Therm™ insulation to offer cold weather protection without added bulk
- ► Waterproof & bloodborne pathogen proof membrane
- ► TAA Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 6-15, R & W Half Sizes: 6.5 - 11.5, R & W











510 MEF / ULTRALIGHT MARINE CORPS COMBAT BOOT (EGA)



8" (Standard Military Height)

100% cattlehide leather & nylon fabric

MIDSOLE: Highly cushioned, shock absorbent midsole

Single density molded removable insert

SPECIAL FEATURES:

- ► Strobel construction for excellent flexibility
- ► Cool-mesh hydrophilic lining
- Low density PU midsole to minimize weight
- ▶ 20.6 ounces per boot
- ► CERTIFICATION #001375
- ► Berry Compliant

MEN'S Full Sizes: 5 - 15, R & W Half Sizes: 5.5 - 14.5, R & W

$550~\mathrm{ST/}$ usmc hot weather steel toe boot (ega)



HEIGHT: 8" (Standard Military Height)

UPPER: 100% cattlehide leather & nylon fabric MIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber VIBRAM® Sierra

INSOLE: Single density molded removable insert

SPECIAL FEATURES:

- ► VANGUARD running shoe sole construction
- ▶ Steel toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- ► CERTIFICATION #150M22-000460-6-01
- ► Berry Compliant

MEN'S Full Sizes: 3 - 16, R & W

Half Sizes: 3.5 - 15.5, R & W







590 / usmc hot weather combat boot (ega)



HEIGHT: 8" (Standard Military Height)

UPPER: 100% cattlehide leather & nylon fabric
MIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber VIBRAM® Sierra

INSOLE: Single density molded removable insert

SPECIAL FEATURES:

► VANGUARD running shoe sole construction

- ► CERTIFICATION #150M22-000540-6-49
- ► Berry Compliant

MEN'S Full Sizes: 3 – 16, R & W Half Sizes: 3.5 – 13.5, R & W





500 usmc waterproof combat boot (EGA)



8" (Standard Military Height)

UPPER: 100% cattlehide leather & nylon fabricMIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber VIBRAM® Sierra

Single density molded removable insert

SPECIAL FEATURES:

- ► VANGUARD running shoe sole construction
- ▶ Durably waterproof and highly breathable GORE-TEX fabric
- ► CERTIFICATION #150M22-000541-6-49
- ► Berry Compliant

MEN'S Full Sizes: 5 – 14, R & W Half Sizes: 5.5 – 13.5, R & W







SABRE 533 / US NAVY CERTIFIED HOT WEATHER HYBRID ASSAULT BOOT



HEIGHT: 8" (Standard Military Height) UPPER: 100% cattlehide leather & nylon fabric MIDSOLE: Highly cushioned, shock absorbent midsole **DUTSOLE:** 100% rubber Exclusive VIBRAM® Ibex outsole

for rugged terrain

INSOLE: Dual density molded Shockmaster[™] removable insert

SPECIAL FEATURES:

- ► Low profile sole reduces weight & improves mobility
- Sharp angled lugs and defined heel maximize traction
- ▶ Deeply serrated toe bumper aids in vertical climbing & crawling
- ► Rappelling bars on outsole extend wear
- ► Aggressive lace-to-toe style allows for a customized fit
- ► Breathable moisture-wicking lining
- ► CERTIFICATION #25CY33-002371-225-01
- ► Berry Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 4 - 16, R & W Half Sizes: 4.5 - 13.5, R & W

sabre $533\,\mathrm{ST}/\mathrm{us}\,\mathrm{navy}\,\mathrm{certified}\,\mathrm{hot}\,\mathrm{weather}\,\mathrm{hybrid}$



HEIGHT: 8" (Standard Military Height) **UPPER:** 100% cattlehide leather & nylon fabric MIDSOLE: Highly cushioned, shock absorbent midsole **OUTSOLE:** 100% rubber Exclusive VIBRAM® Ibex outsole

for rugged terrain

INSOLE: Single density molded removable insert

SPECIAL FEATURES:

- ▶ Steel toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- Low profile sole reduces weight & improves mobility
- ► Sharp angled lugs and defined heel maximize traction
- ▶ Deeply serrated toe bumper aids in vertical climbing & crawling
- ► Rappelling bars on outsole extend wear
- ► Aggressive lace-to-toe style allows for a customized fit
- ▶ Breathable moisture-wicking lining
- CERTIFICATION #25CY33-002375-225-88
- ► Berry Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 4 - 16, R & W Half Sizes: 4.5 - 13.5, R & W

YOTE/BROW

330 COY ST / HOT WEATHER STEEL TOE FLIGHT BOOT



8" (Standard Military Height) 100% cattlehide leather & nylon fabric MIDSOLE: Highly cushioned, shock absorbent midsole **OUTSOLE:** 100% rubber VIBRAM® Chevron to minimize

FOD and improve traction

Single density molded removable insert

SPECIAL FEATURES:

- ► VANGUARD running shoe sole construction
- ▶ Steel toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- ► Berry Compliant
- ► AR 670-1 Compliant
- ► AFI 36-2903 Compliant

MEN'S Full Sizes: 3 - 16, R & W Half Sizes: 3.5 - 15.5, R & W









$330~\mathrm{ST}$ / WET WEATHER STEEL TOE FLIGHT BOOT





HEIGHT: **UPPER:**

8" (Standard Military Height) Smooth 100% cattlehide leather MIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber VIBRAM® Chevron to minimize FOD and improve traction

INSOLE:

Single density molded removable insert

SPECIAL FEATURES:

- ► VANGUARD running shoe sole construction
- ▶ Steel toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- ► Berry Compliant

MEN'S Full Sizes: 3 - 16, R & W Half Sizes: 3.5 - 15.5, R & W









VN/BLAI

$339\,\mathrm{ST}$ / US NAVY AVIATOR BOOT



8" (Standard Military Height) Smooth 100% cattlehide leather

MIDSOLE: Highly cushioned, shock absorbent midsole

DUTSOLE: 100% rubber NEW VIBRAM® FOD resisting Carrier outsole

Single density molded removable insert

SPECIAL FEATURES:

- ▶ Steel toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- Supple aviator brown leather
- ► Famous Belleville "wedge" pattern
- ► Hydrophilic Dri-lex® lining
- ► CERTIFICATION #15BR127-002511-261-88
- NAVAIR CERT #15BR27-000004-101-
- ► Berry Compliant

MEN'S Full Sizes: 3 - 16, R & W Half Sizes: 3.5 - 15.5, R & W

US NAVY "I-5" STEEL TOE BOOT



8" (Standard Military Height) Smooth 100% cattlehide leather MIDSOLE: Highly cushioned, polyether polyurethane

DUTSOLE: 100% rubber NEW VIBRAM® FOD resisting Carrier outsole

Single density molded removable insert

SPECIAL FEATURES:

- ▶ Steel toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- Leather upper integrates soft, milled leather on boot quarters, collar, & gusset
- ► Dri-lex® moisture wicking lining
- ► Soft, foam padded "comfort collar"
- ▶ VANGUARD running shoe construction
- ► CERTIFICATION #15BR127-002510-261-88 (495 ST)
- ► CERTIFICATION #15BR127-002509-262-88 (F495 ST)
- ► NAVAIR CERT #15BR27-000009-101- (495 ST)
- ► Berry Compliant

MEN'S Full Sizes: 6 - 16, R & W Half Sizes: 6.5 - 15.5, R & W

WOMEN'S Full Sizes: 4 - 10, R & W [F495 ST] Half Sizes: 4.5 - 9.5, R & W

20

390 TROP HOT WEATHER COMBAT BOOT



HEIGHT: 8" (Standard Military Height)

UPPER: Smooth, 100% cattlehide leather & nylon fabric MIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber VIBRAM® Sierra

Single density molded removable insert

SPECIAL FEATURES:

- ► VANGUARD running shoe sole construction
- ▶ Berry Compliant

MEN'S Full Sizes: 3 - 16, R & W

Half Sizes: 3.5 - 15.5, R & W



300 TROPST / HOT WEATHER STEEL TOE BOOT



HEIGHT: 8" (Standard Military Height)

UPPER: Smooth, 100% cattlehide leather & nylon fabric MIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber VIBRAM® Sierra

INSOLE: Single density molded removable insert

SPECIAL FEATURES:

- ► VANGUARD running shoe sole construction
- ▶ Steel toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- ► Berry Compliant

MEN'S Full Sizes: 3 - 16, R & W

Half Sizes: 3.5 - 15.5, R & W





800 ST / WATERPROOF STEEL TOE FLIGHT & FLIGHT DECK BOOT



HEIGHT: 8" (Standard Military Height) **UPPER:** Smooth, 100% cattlehide leather

MIDSOLE: Highly cushioned, shock absorbent midsole **OUTSOLE:** 100% rubber VIBRAM® Chevron to minimize FOD

and improve traction

INSOLE: Single density molded removable insert

SPECIAL FEATURES:

- ► VANGUARD running shoe sole construction
- ▶ Steel toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- ▶ Durably waterproof and highly breathable GORE-TEX fabric
- ► CERTIFICATION #15B27-002409-224-88
- ► Berry Compliant

MEN'S Full Sizes: 3 - 16, R & W Half Sizes: 3.5 - 15.5, R & W











$880\,\mathrm{ST}$ / 200G INSULATED WATERPROOF STEEL TOE BOOT



HEIGHT: 8" (Standard Military Height) **UPPER:** Smooth, 100% cattlehide leather

MIDSOLE: Highly cushioned, shock absorbent midsole

DUTSOLE: 100% rubber VIBRAM® Chevron FIRE & ICE™ to minimize FOD

and improve traction in icy conditions

INSOLE: Single density molded removable insert

SPECIAL FEATURES:

- ▶ VANGUARD running shoe sole construction
- ▶ Steel toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- ▶ Durably waterproof and highly breathable GORE-TEX fabric
- ▶ 200q THINSULATE™ Insulation
- ► Berry Compliant

MEN'S Full Sizes: 3 - 14. R & W Half Sizes: 6.5 - 11.5, R & W













700 waterproof duty boot



HEIGHT: 8

UPPER: Smooth, 100% cattlehide leather & nylon fabric **MIDSOLE:** Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber VIBRAM® Sierra

INSOLE: Single density molded removable insert

SPECIAL FEATURES:

- ► VANGUARD running shoe sole construction
- ▶ Durably waterproof and highly breathable GORE-TEX fabric
- ► Berry Compliant

MEN'S Full Sizes: 3 – 16, N, R, W & XW Half Sizes: 3.5 – 15.5, N, R, W & XW







770 / 200G INSULATED WATERPROOF BOOT



VIBRAM® SIERRA FIRE & ICE®



HEIGHT: 8'

UPPER: Smooth, 100% cattlehide leather & nylon fabric

MIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber VIBRAM® Sierra FIRE & ICE™ compound designed to improve traction in icy conditions

INSOLE: Single density molded removable insert

SPECIAL FEATURES:

- ► VANGUARD running shoe sole construction
- ▶ Durably waterproof and highly breathable GORE-TEX fabric
- ▶ 200g THINSULATE™ Insulation
- ▶ Berry Compliant

MEN'S Full Sizes: 3 – 16, N, R, W & XW Half Sizes: 3.5 – 15.5, N, R, W & XW









CANOPY BV903PR / JUNGLE BOOT



8" (Standard Military Height)

Smooth, full-grain cattlehide leather & nylon fabric Dual density, rubber classic Panama outsole Single density, molded polyurethane removable insert

Puncture resistant textile insole board

SPECIAL FEATURES:

- ► ASTM certified, puncture resistant textile insole board
- ▶ Dual density, direct injection construction
- ► Highly breathable unlined upper
- ► Padded collar for added comfort
- ▶ Double & triple stitched seams for enhanced durabilty
- ► Medial side drainage vents
- ▶ Classic non-loading Panama outsole tread

MEN'S Full Sizes: 4 - 14, R & W Half Sizes: 4.5 - 11.5, R & W

SPEAR POINT BV915Z / HOT WEATHER LIGHTWEIGHT SIDE-ZIP TACTICAL BOOT



Durable leather with full grain polishable toe and 1680 denier

nylon fabric

Highly cushioned, lightweight EVA midsole for superior comfort Zone traction rubber outsole for enhanced slip and oil resistance

Single density molded removable insert

SPECIAL FEATURES:

- ► YKK side zipper with security overlay
- ► TAA Compliant

MEN'S Full Sizes: 4 - 15, R & W

Half Sizes: 5.5 - 11.5, R & W

OUTSOLE

SPEAR POINT BV918Z / hot weather lightweight side-zip tactical boot



Durable leather with full grain polishable toe and 1680 denier

Highly cushioned, lightweight EVA midsole for superior comfort Zone traction rubber outsole for enhanced slip and oil resistance

Single density molded removable insert

SPECIAL FEATURES:

► YKK side zipper with security overlay

► TAA Compliant

MEN'S Full Sizes: 4-15, R & W

Half Sizes: 5.5 - 11.5, R & W



SPEAR POINT BV918Z WP/ WATERPROOF TACTICAL



Durable leather with full grain polishable toe and 1680 denier

nvlon fabric

Highly cushioned, lightweight EVA midsole for superior comfort **OUTSOLE:** Zone traction rubber outsole for enhanced slip and oil resistance

Single density molded removable insert

SPECIAL FEATURES:

- ► YKK side zipper with security overlay
- ▶ Waterproof & bloodborne pathogen proof membrane
- ► TAA Compliant

MEN'S Full Sizes: 4 - 15, R & W Half Sizes: 5.5 - 11.5. R & W





25

KHYBER TR960 / HOT WEATHER LIGHT WEIGHT TACTICAL BOOT



HEIGHT: 8'

UPPER: Durable leather with full grain polishable toe & nylon fabric

MIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber Exclusive VIBRAM® lbex outsole for rugged

terrain

INSOLE: TR-1[®] load bearing orthotic insole

SPECIAL FEATURES:

- ▶ Low profile sole reduces weight & improves mobility
- ▶ Sharp angled lugs and defined heel maximize traction
- ► Rappelling bars on outsole extend wear
- ▶ Aggressive lace-to-toe style allows for a customized fit
- ► Air Mesh breathable, moisture-wicking lining

MEN'S Full Sizes: 3 – 16, R & W Half Sizes: 3.5 – 11.5, R & W





KHYBER TR966 / HOT WEATHER LIGHTWEIGHT TACTICAL BOOT



HEIGHT: 6" (Above-the-Ankle)

UPPER: Durable leather with full grain polishable toe & nylon fabric

MIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber Exclusive VIBRAM® lbex outsole for rugged terrain

INSOLE: TR-1® load bearing orthotic insole

SPECIAL FEATURES:

- ▶ Low profile sole reduces weight & improves mobility
- ► Sharp angled lugs and defined heel maximize traction
- ▶ Rappelling bars on outsole extend wear
- ▶ Aggressive lace-to-toe style allows for a customized fit
- ▶ Air Mesh breathable, moisture-wicking lining

MEN'S Full Sizes: 3 – 16, R & W Half Sizes: 3.5 – 11.5, R & W





KHYBER TR960Z / hot weather lightweight side-zip tactical boot



HEIGHT:

UPPER: Durable leather with full grain polishable toe & nylon fabric

MIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber Exclusive VIBRAM® lbex outsole for rugged

TR-1® load bearing orthotic insole

SPECIAL FEATURES:

► Side zipper entry with molded security overlay

- ► Low profile sole reduces weight & improves mobility
- ► Sharp angled lugs and defined heel maximize traction
- ► Rappelling bars on outsole extend wear
- ► Aggressive lace-to-toe style allows for a customized fit
- ► Air Mesh breathable, moisture-wicking lining

MEN'S Full Sizes: 3 - 16, R & W Half Sizes: 3.5 - 11.5. R & W





KHYBER TR960Z WP / WATERPROOF LIGHTWEIGHT SIDE-ZIP TACTICAL BOOT





UPPER: Durable leather with full grain polishable toe & nylon fabric

MIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: 100% rubber Exclusive VIBRAM® lbex outsole for rugged

terrain

TR-1° load bearing orthotic insole

SPECIAL FEATURES:

- ► Waterproof & bloodborne pathogen proof membrane
- ► Side zipper entry with molded security overlay
- ► Low profile sole reduces weight & improves mobility
- ► Sharp angled lugs and defined heel maximize traction
- ▶ Rappelling bars on outsole extend wear
- ▶ Aggressive lace-to-toe style allows for a customized fit

MEN'S Full Sizes: 3 - 16. R & W Half Sizes: 3.5 - 11.5, R & W



IBEX





PTO

AKE OFF FOOTBED

TR1040-T / ultralight tactical boot



UPPER: 100% Textile with an abrasion-resistant TPU toe cap

for added protection

MIDSOLE: Shock absorbing EVA

OUTSOLE: Dual density nitrile rubber that is non-marking,

slip resisting & oil resisting

PTO® (Power Take Off) removable, load-bearing orthotic

footbed

SPECIAL FEATURES:

► Molded TPU heel stabilizer

- ► Athletic-style "qhilly" lacing system
- ▶ Highly breathable mesh side panels
- ► Moisture wicking lining

MEN'S Full Sizes: 4 - 14. R & W Half Sizes: 5.5 - 11.5. R & W

TR1040-LSZ / ultralight side-zip tactical boot



Durable leather with full grain polishable toe & air mesh nylon MIDSOLE: Shock absorbing EVA

OUTSOLE: Dual density nitrile rubber that is non-marking, slip resisting

& oil resisting

PTO® (Power Take Off) removable, load-bearing orthotic

footbed

SPECIAL FEATURES:

- ► Polyurethane-coated, water resistant YKK side zipper
- ► Molded TPU heel stabilizer
- ► Athletic-style "qhilly" lacing system
- ► Highly breathable mesh side panels
- ► Moisture wicking lining

MEN'S Full Sizes: 4 - 15, R & W

Half Sizes: 5.5 - 11.5, R & W

$TR1040-ZWP \Big/ \begin{smallmatrix} \text{WATERPROOF ULTRALIGHT} \\ \text{SIDE-ZIP TACTICAL BOOT} \end{smallmatrix}$



HEIGHT:

UPPER: Durable leather with full grain polishable toe & air mesh nylon

MIDSOLE: Shock absorbing EVA

OUTSOLE: Dual density nitrile rubber that is non-marking, slip resisting

& oil resisting

PTO® (Power Take Off) removable, load-bearing orthotic

footbed

SPECIAL FEATURES:

▶ Water/bloodborne pathogen proof membrane

► Polyurethane-coated, water resistant YKK side zipper

► Molded TPU heel stabilizer

► Athletic-style "ghilly" lacing system

▶ Highly breathable mesh side panels

► Moisture wicking lining

MEN'S Full Sizes: 4 - 15, R & W Half Sizes: 5.5 - 11.5, R & W



29

MAXX 6Z / MAXIMALIST TACTICAL BOOT



6" (above-the-ankle) HEIGHT:

UPPER: Durable leather with full grain polishable toe &

Destination P mesh

MIDSOLE: Ultra cushioning, shock absorbing FATT MAXX® midsole

OUTSOLE: 100% rubber Exclusive VIBRAM® Ballistic Removable, single-density molded EVA INSOLE:

SPECIAL FEATURES:

- ▶ Stack height of 29mm at the heel and 23mm at the forefoot
- ▶ 6 millimeter heel to toe "drop"
- ► "Rocker" midsole geometry encourages smooth gate from heel-strike to toe-off
- ▶ 25-55% more shock absorbent than other leading athletic tactical boots
- ► YKK waterproof nylon zipper with molded security overlay
- ► Spacer-mesh breathable, hydrophilic lining

MEN'S Full Sizes: 4 - 15, R & W Half Sizes: 4.5 - 11.5, R & W

MAXX 8Z / MAXIMALIST TACTICAL BOOT



VIBRAM® BALLISTIC





HEIGHT:

UPPER:

Durable leather with full grain polishable toe &

Destination P mesh

MIDSOLE: Ultra cushioning, shock absorbing FATT MAXX® midsole

OUTSOLE: 100% rubber Exclusive VIBRAM® Ballistic INSOLE: Removable, single-density molded EVA

SPECIAL FEATURES:

- ▶ Stack height of 29mm at the heel and 23mm at the forefoot
- ▶ 6 mllimeter heel to toe "drop"
- ▶ "Rocker" midsole geometry encourages smooth gate from heel-strike to toe-off
- ▶ 25-55% more shock absorbent than other leading athletic tactical boots
- ► YKK waterproof nylon zipper with molded security overlay
- ► Spacer-mesh breathable, hydrophilic lining

MEN'S Full Sizes: 4 - 15, R & W

Half Sizes: 4.5 - 11.5, R & W

MINI-MIL TR102 / MINIMALIST BOOT



HEIGHT:

UPPER: Durable leather with full grain polishable toe & nylon fabric

MIDSOLE: 2 millimeter, die-cut shock dispersing midsole

OUTSOLE: 100% rubber Exclusive VIBRAM® Tarsus is oil & slip resistant

INSOLE: Single density molded removable insert

SPECIAL FEATURES:

- ▶ 2 millimeter heel to toe "drop"
- ► Highly breathable unlined upper
- ▶ Double & triple stitched seams for enhanced durability
- ► Convenient pull-on loop
- ▶ Weighs approximately 16 ounces per half pair

MEN'S Full Sizes: 7 - 14, R & W Half Sizes: 7.5 - 11.5, R & W

CHROME TR998Z WP CT / 8" WATERPROOF COMPOSITE TOE SIDE-ZIP BOOT









HEIGHT:

UPPER:

Durable leather with full grain polishable toe &

Destination P mesh

MIDSOLE: Highly cushioned, shock absorbent midsole

OUTSOLE: Exclusive long-wearing StreetNav™ rubber outsole

is non-marking, oil & slip resistant

INSOLE: Dual density molded removable insert

SPECIAL FEATURES:

- ► Waterproof & bloodborne pathogen proof membrane
- ► Composite toe meets ASTM F2412-18 and F2413-18 standards for impact & compression and EH rated
- Side zipper entry with molded security overlay
- ▶ "Hot Fusion" exo-skeletal frame provides structural support at minimal weight
- ▶ Unique cleat & lug outsole design allows for superior traction in multiple environments
- ► Low profile lace-lock hook and "Ghilly" style lacing system provides a secured & customized fit

MEN'S Full Sizes: 3-15. R & W Half Sizes: 3.5 - 11.5, R & W



NAVY / MARINE CORPS



AIR FORCE / ARMY



CERTIFICATIONS, APPROVALS AND TECHNOLOGY

The following icons are used throughout the catalog to illustrate military certifications and approvals as well as the high-performance materials used in our boots.



US AIR FORCE FLIGHT APPROVED



VIBRAM® soles are always produced with three objectives: to guarantee the best performance, the maximum level of comfort and quality over time.



US ARMY FLIGHT APPROVED



GORE-TEX footwear provides durably waterproof protection that is highly breathable in a variety of climate conditions.



USMC CERTIFIED



THINSULATE™ insulation by 3M maintains warmth even in damp conditions. This original "warm without bulk" product is not only exceptionally thin but is also extremely lightweight and durable.



USMC FLIGHT APPROVED



HIGH PERFORMANCE ORTHOTIC INSOLE



US NAVY CERTIFIED

Advanced Anatomical Design includes a stabilizing contoured heel cup; extended arch support and honeycomb geometric forefoot to provide maximum air circulation. State-of-the-Art Materials include advanced EVA resin that forms the heel & mid-foot cradle, Agion® treated anti-bacterial sock liner and high tech EVA/Rubber blend for impact cushioning.



US NAVY FLIGHT APPROVED



PTO°. POWER TAKE OFF FOOTBED



US NAVY FLIGHT DECK APPROVED

The PTO® orthotic footbed is a proprietary loadbearing removable insert that uniquely combines the benefits of shock absorbing foam with superior arch support.



Belleville offers many styles of boots that comply with the Berry Amendment which requires that 100% of the labor and 100% of the material costs come from the U.S.



HIGH CLEARANCE SAFETY TOES



Belleville offers boot styles that feature a VIBRAM® Foreign Object or Debris Resistant (FOD) outsole. Each of our high-clearance steel and composite toes meet ASTM F2412-18 and F2413-18 standards for impact & compression. Design extras, such as padding under and around



Indicates that the boot is waterproof.



the safety toe and our flange-anchored construction, provide both increased comfort and safety.



Indicates that the boot is insulated.



Indicates that the boot is compliant with the Trade Agreements Act.



Indicates that the boot's insole board is puncture resistant.

GORE-TEX, GORE", and designs are registered trademarks of W.L. Gore and Associates, Inc. VIBRAM", the Octagon Logo, the Yellow Octagon Logo, and the color Canary Yellow are registered trademarks of VIBRAM S.p.A. 3M and THINSULATE" are trademarks of 3M Company.

HOW TO CARE FOR YOUR BELLEVILLES



SUEDE LEATHER BOOTS

(Coyote)

- ▶ Remove dirt by brushing boots with a soft/medium bristle brush.
- Using a mixture of warm water and a mild detergent, lightly scrub the leather and nylon fabric with a soft brush to remove any excess dirt.
- Air dry boots naturally at room temperature. Do not expose boots to direct intense heat (such as a blow dryer) as this can cause damage to the boot.
- ▶ Do not polish.



SMOOTH LEATHER BOOTS

(Black & Aviator Brown)

- ► Remove dirt by brushing boots with a soft bristle brush.
- Nylon fabric may be cleaned with a soft brush using warm water and a mild detergent. Do not polish nylon.
- Apply a light coat of quality polish to the leather and buff to a uniform appearance. Excessive polish may reduce boot breathability.
- Air dry boots naturally at room temperature. Do not expose boots to direct intense heat (such as a blow dryer) as this can cause damage to the boot.

SIZING TIPS & INFORMATION

All of our boots are available in Men's Regular (R) and Wide (W) Widths, with some styles offering Narrow (N) and Extra Wide (XW) widths as well. Since sizes & widths vary among boot styles, please check individual boot styles for available sizes & widths.

STANDARD WIDTH	BELLEVILLE WIDTH
В	Narrow (N)
D	Regular (R)
EE	Wide (W)
EEEE	Extra Wide (XW)

Unfortunately, not all boot brands fit the same. For this reason, here are a few sizing tips that will help you get a better **BELLEVILLE** fit:

- ► GET YOUR FEET MEASURED USING A BRANNOCK DEVICE.
- GET SOME BOOT SOCKS: Try on the boots with a pair of boot socks that you will normally wear with the boots.
- PLACE & LACE: It is important that your foot is properly placed inside the boots when selecting a size. Proper foot placement requires that the lace is drawn snug at the bottom of the lacing

system. This will prevent your foot from sliding forward too far and keep your heel properly placed against the back of the boot. To improve the fit of the boot, try loosening or tightening the laces at different parts of the boot until you get the perfect fit.

- ➤ CHECK THE LENGTH: Length-wise, when your heel is placed against the back of the boot, you should have a slight amount of room in the front of the boots to wiggle your toes.
- CHECK THE WIDTH: Width-wise, your boots should feel a little snug, but not tight.
- ► TAKE A STROLL: Walk around inside a carpeted area to see how the boots feel.

Make sure your heel stays in place and is not sliding up and down (this can cause blisters).

WOMEN'S SIZES: Belleville does offer a few boot styles that are specifically manufactured for women. All Belleville style numbers that begin with an "F" indicate a boot specifically designed and sized for women. If a particular style of boot is not available in women's sizes, we recommend ordering the boot 2 full sizes smaller

2022 CATALOG | BELLEVILLEBOOT.COM

PLACE AN ORDER / RETURNS & EXCHANGES

HOW TO PLACE AN ORDER

ONLINE www.bellevilleboot.com

PHONE 800-376-6978

Mon-Fri: 0700 to 1700 CST

EMAIL Domestic: boots@bellevilleboot.com International: intl@bellevilleboot.com

BELLEVILLE ACCEPTS:

GSA SmartPay, Visa, MasterCard, American Express









BELLEVILLE BOOTS CAN ALSO BE PURCHASED AT:

- ▶ Military Clothing Sales / Base Exchange Stores
- ▶ Base Supply Store Service Centers
- ▶ Uniform Supply Retail Locations Nationwide
- ▶ For your nearest retail store location, email Customer Service at boots@bellevilleboot.com

MOST BOOT ORDERS SHIP WITHIN 1 BUSINESS DAY. **WORLDWIDE & DROP SHIPPING IS AVAILABLE.**





RETURN & EXCHANGE POLICY

RETURNS

If for any reason you are not completely satisfied with the boots you purchased **directly** from Belleville Boot Company within 30 days and would like a refund or exchange, contact customer service at boots@bellevilleboot.com to receive a return authorization and instructions for returning the boots. We'll issue a refund for 100% of the price of the boots, excluding any shipping charges. We will cover the cost of shipping an exchange pair to you, however, we do ask that you cover the cost of shipping the original pair to us.

Belleville Boot Company will not issue any refunds or exchanges on boots returned after the 30-day period, or that show any signs of wear or are altered in any way from their original condition. All footwear should be returned with postage prepaid and in its original packaging. COD shipments will NOT be accepted.

Belleville Boot Company quarantees its boots to be free of defects in materials and workmanship for one year from the date of purchase. If a defect in materials and/or workmanship occurs within the one-year period, Belleville will, at its option, either repair or replace the boots.

BOOTS THAT ARE NOT CONSIDERED DEFECTIVE INCLUDE:

- ▶ Boots that show signs of normal wear and tear or are damaged due to excessive wear
- ▶ Boots damaged by improper boot maintenance or lack of maintenance
- ▶ Boots that are of an incorrect size, but have been worn
- ▶ Boots returned after the return / warranty period

All defective footwear received will be inspected to determine eligibility for a refund, exchange or merchandise credit.

Please note: Belleville boots issued to you or purchased from any location other than Belleville direct must be returned to that issuing or selling agent and are subject to that agent's return policy.

COYOTE BOOT INDEX



























М	۲	۱П	ΙF	N	Δ	M	F

MODEL NAME	#	EATHER		8001	TOE	TOE		CACOMA	PROVED	PM COM	PROVES	ERTIFIED	CERTIFIED	PROVES	PROVE	PROVED
BELLEVILLE																
* ARM YOUR FEET:*	5	*						*		*						
C300 ST	10	*				*		*		*						
C312 ST	10	*				*		*		*						
C320 / FC320	4	*						*		*						
C333	5	*						*		*						
C390	6	*						*		*						
C775	14		*	*				*	*	*	*					
C775 ST	14		*	*		*		*	*	*	*					
C790	12		*					*	*	*	*					
C790 ST	13		*			*		*	*	*	*					
C793	12		*					*	*	*	*					
C795	13		*	*				*		*						
330 ST (Aviator brown)	19					*							*	*		*
330 COY ST	19	*				*		*	*	*	*		*	*		*
339 ST (Aviator brown)	20					*							*	*	*	*
500	17		*									*				
510 MEF	16	*										*				
533	18	*						*		*			*			
533 ST	18	*				*		*		*			*			
550 ST	16	*				*						*				
590	17	*										*				
BV518	8	*						*		*						
BV555INSCT	15		*	*	*			*		*						
TR105	8	*						*		*						
TR501	6	*						*		*						
TR536 CT	11	*			*			*		*						
TR550	9	*						*		*						
TR550WPINS	15		*	*				*		*						
TR596Z CT	11	*			*		*			*						

LAW ENFORCEMENT/PUBLIC SAFETY BLACK BOOT INDEX

The state of the s	PAGE	HOT WEATHER	MATERPARIE	MSULATES **	STEEL	COMPOSIA	SIDE	PUNCTURE RESISTANT	SMC FLIGH	SMNYFLIGH	SHIT FLIGHT	ENFORCE E
MODEL NAME	#	WEATHER		7008	TOE	70E			PROVED	PPROVED	10PROVED	8001
300 TROP ST	21	*			*							*
390 TROP	21	*										*
495 ST / F495 ST	20				*				*	*	*	*
700*	23		*									*
770*	23		*	*								*
800 ST*	22		*		*				*	*	*	*
880 ST	22		*	*	*							*
BV903PR	24	*						*				*
BV915Z	24	*					*					*
BV918Z	25	*					*					*
BV918Z WP	25		*				*					*
MAXX 6Z	30	*					*					*
MAXX BZ	30	*					*					*
TR102	31	*										*
TR960	26	*										*
TR960Z	27	*					*					*
TR960Z WP	27		*				*					*
TR966	26	*										*
TR998Z WP CT	31		*			*	*					*
TR1040-T	28	*										*
TR1040-LSZ	28	*					*					*
TR1040-ZWP	29		*				*					*

^{*}NSN Numbers Available



